
Hourly horizontal global irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average GHI = 536 [Wh/m2h]
number of values = 28379
mbd = 1 %
sd = 9 %
Measurements (BSRN)


Daily horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average GHI = 5.7 [kWh/m2]
number of values = 2663
mbd = 0 %
sd = 5 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average GHI = 165 [kWh/m2]
number of values = 92
mbd = 1 %
sd = 2 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
Measurements (BSRN)


Sede Boqer 2004-2011
SolarGIS
Global irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Global irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Global irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Global irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Global irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Hourly normal beam irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average DNI = 617 [Wh/m2h]
number of values = 28379
mbd = -5 %
sd = 21 %
Measurements (BSRN)


Daily normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average DNI = 6.6 [kWh/m2]
number of values = 2663
mbd = -4 %
sd = 12 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average DNI = 190 [kWh/m2]
number of values = 92
mbd = -5 %
sd = 4 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
Measurements (BSRN)


Sede Boqer 2004-2011
SolarGIS
Beam irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Beam irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Beam irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Beam irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Beam irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Hourly horizontal diffuse irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average DHI = 138 [Wh/m2h]
number of values = 28379
mbd = 10 %
sd = 37 %
Measurements (BSRN)


Daily horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average DHI = 1.46 [kWh/m2]
number of values = 2663
mbd = 9 %
sd = 25 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
average DHI = 42 [kWh/m2]
number of values = 92
mbd = 10 %
sd = 13 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
SolarGis
Measurements (BSRN)


Sede Boqer 2004-2011
SolarGIS
Diffuse irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Diffuse irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Diffuse irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
SolarGIS
Diffuse irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Global irradiance bias [Wh/m²h]
SolarGis
Sede Boqer 2004 - 2011
MBD = 1%
SD = 9%
clear
overcast
intermediate
Modified clearness index Kt'


Beam irradiance bias [Wh/m²h]
SolarGis
Sede Boqer 2004 - 2011
MBD = -5%
SD = 21%
clear
overcast
intermediate
Modified clearness index Kt'


Clearness index Kt = GHI / Io sin(h)
SolarGis
Sede Boqer 2004 - 2011
Measurements (BSRN)
SolarGis
Solar elevation


Beam clearness index Kb = DNI / Io
SolarGis
Sede Boqer 2004 - 2011
Measurements (BSRN)
SolarGis
Solar elevation


Monthly horizontal global irradiation [kWh/m2h]
SolarGis
Sede Boqer 2004 - 2011
Measurements
SolarGis
Month of the year


Monthly normal beam irradiation [kWh/m2h]
SolarGis
Sede Boqer 2004 - 2011
Measurements
SolarGis
Month of the year


Monthly horizontal diffuse irradiation [kWh/m2h]
SolarGis
Sede Boqer 2004 - 2011
Measurements
SolarGis
Month of the year


Hourly horizontal global irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average GHI = 537 [Wh/m2h]
number of values = 28051
mbd = -6 %
sd = 10 %
Measurements (BSRN)


Daily horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average GHI = 5.7 [kWh/m2]
number of values = 2629
mbd = -5 %
sd = 6 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average GHI = 166 [kWh/m2]
number of values = 91
mbd = -6 %
sd = 4 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
Measurements (BSRN)


Sede Boqer 2004-2011
Helioclim v3
Global irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Global irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Global irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Global irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Global irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Hourly normal beam irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average DNI = 619 [Wh/m2h]
number of values = 28051
mbd = -17 %
sd = 30 %
Measurements (BSRN)


Daily normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average DNI = 6.6 [kWh/m2]
number of values = 2629
mbd = -15 %
sd = 21 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average DNI = 191 [kWh/m2]
number of values = 91
mbd = -17 %
sd = 9 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
Measurements (BSRN)


Sede Boqer 2004-2011
Helioclim v3
Beam irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Beam irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Beam irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Beam irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Beam irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Hourly horizontal diffuse irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average DHI = 138 [Wh/m2h]
number of values = 28051
mbd = 9 %
sd = 54 %
Measurements (BSRN)


Daily horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average DHI = 1.47 [kWh/m2]
number of values = 2629
mbd = 7 %
sd = 40 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
average DHI = 42 [kWh/m2]
number of values = 91
mbd = 9 %
sd = 20 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Helioclim v3
Measurements (BSRN)


Sede Boqer 2004-2011
Helioclim v3
Diffuse irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Diffuse irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Diffuse irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
Helioclim v3
Diffuse irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Global irradiance bias [Wh/m²h]
Helioclim v3
Sede Boqer 2004 - 2011
MBD = -6%
SD = 10%
clear
overcast
intermediate
Modified clearness index Kt'


Beam irradiance bias [Wh/m²h]
Helioclim v3
Sede Boqer 2004 - 2011
MBD = -17%
SD = 30%
clear
overcast
intermediate
Modified clearness index Kt'


Clearness index Kt = GHI / Io sin(h)
Helioclim v3
Sede Boqer 2004 - 2011
Measurements (BSRN)
Helioclim v3
Solar elevation


Beam clearness index Kb = DNI / Io
Helioclim v3
Sede Boqer 2004 - 2011
Measurements (BSRN)
Helioclim v3
Solar elevation


Monthly horizontal global irradiation [kWh/m2h]
Helioclim v3
Sede Boqer 2004 - 2011
Measurements
Helioclim v3
Month of the year


Monthly normal beam irradiation [kWh/m2h]
Helioclim v3
Sede Boqer 2004 - 2011
Measurements
Helioclim v3
Month of the year


Monthly horizontal diffuse irradiation [kWh/m2h]
Helioclim v3
Sede Boqer 2004 - 2011
Measurements
Helioclim v3
Month of the year


Hourly horizontal global irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average GHI = 536 [Wh/m2h]
number of values = 28379
mbd = 3 %
sd = 11 %
Measurements (BSRN)


Daily horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average GHI = 5.7 [kWh/m2]
number of values = 2663
mbd = 3 %
sd = 6 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average GHI = 165 [kWh/m2]
number of values = 92
mbd = 3 %
sd = 3 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
Measurements (BSRN)


Sede Boqer 2004-2011
Solemi (aerocom)
Global irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Global irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Global irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Global irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Global irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Hourly normal beam irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average DNI = 617 [Wh/m2h]
number of values = 28379
mbd = -9 %
sd = 31 %
Measurements (BSRN)


Daily normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average DNI = 6.6 [kWh/m2]
number of values = 2663
mbd = -8 %
sd = 21 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average DNI = 190 [kWh/m2]
number of values = 92
mbd = -9 %
sd = 8 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
Measurements (BSRN)


Sede Boqer 2004-2011
Solemi (aerocom)
Beam irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Beam irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Beam irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Beam irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Beam irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Hourly horizontal diffuse irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average DHI = 138 [Wh/m2h]
number of values = 28379
mbd = 31 %
sd = 64 %
Measurements (BSRN)


Daily horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average DHI = 1.46 [kWh/m2]
number of values = 2663
mbd = 27 %
sd = 46 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
average DHI = 42 [kWh/m2]
number of values = 92
mbd = 31 %
sd = 22 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
Solemi (aerocom)
Measurements (BSRN)


Sede Boqer 2004-2011
Solemi (aerocom)
Diffuse irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Diffuse irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
Decemb
Year
Diffuse irradiance [W/m


Sede Boqer 2004-2011
Solemi (aerocom)
Diffuse irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
Solemi (aerocom)
Diffuse irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Global irradiance bias [Wh/m²h]
Solemi (aerocom)
Sede Boqer 2004 - 2011
MBD = 3%
SD = 11%
clear
overcast
intermediate
Modified clearness index Kt'


Beam irradiance bias [Wh/m²h]
Solemi (aerocom)
Sede Boqer 2004 - 2011
MBD = -9%
SD = 31%
clear
overcast
intermediate
Modified clearness index Kt'


Clearness index Kt = GHI / Io sin(h)
Solemi (aerocom)
Sede Boqer 2004 - 2011
Measurements (BSRN)
Solemi (aerocom)
Solar elevation


Beam clearness index Kb = DNI / Io
Solemi (aerocom)
Sede Boqer 2004 - 2011
Measurements (BSRN)
Solemi (aerocom)
Solar elevation


Monthly horizontal global irradiation [kWh/m2h]
Solemi (aerocom)
Sede Boqer 2004 - 2011
Measurements
Solemi (aerocom)
Month of the year


Monthly normal beam irradiation [kWh/m2h]
Solemi (aerocom)
Sede Boqer 2004 - 2011
Measurements
Solemi (aerocom)
Month of the year


Monthly horizontal diffuse irradiation [kWh/m2h]
Solemi (aerocom)
Sede Boqer 2004 - 2011
Measurements
Solemi (aerocom)
Month of the year


Hourly horizontal global irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average GHI = 536 [Wh/m2h]
number of values = 28135
mbd = 5 %
sd = 10 %
Measurements (BSRN)


Daily horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average GHI = 5.7 [kWh/m2]
number of values = 2641
mbd = 4 %
sd = 5 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average GHI = 164 [kWh/m2]
number of values = 92
mbd = 5 %
sd = 2 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
Measurements (BSRN)


Sede Boqer 2004-2011
MeteoSwiss
Global irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Global irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Global irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Global irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Global irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Hourly normal beam irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average DNI = 617 [Wh/m2h]
number of values = 28135
mbd = -3 %
sd = 27 %
Measurements (BSRN)


Daily normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average DNI = 6.6 [kWh/m2]
number of values = 2641
mbd = -2 %
sd = 18 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average DNI = 189 [kWh/m2]
number of values = 92
mbd = -3 %
sd = 9 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
Measurements (BSRN)


Sede Boqer 2004-2011
MeteoSwiss
Beam irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Beam irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Beam irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Beam irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Beam irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Hourly horizontal diffuse irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average DHI = 138 [Wh/m2h]
number of values = 28135
mbd = 19 %
sd = 49 %
Measurements (BSRN)


Daily horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average DHI = 1.47 [kWh/m2]
number of values = 2641
mbd = 16 %
sd = 37 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
average DHI = 42 [kWh/m2]
number of values = 92
mbd = 19 %
sd = 21 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
MeteoSwiss
Measurements (BSRN)


Sede Boqer 2004-2011
MeteoSwiss
Diffuse irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Diffuse irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Diffuse irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
MeteoSwiss
Diffuse irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Global irradiance bias [Wh/m²h]
MeteoSwiss
Sede Boqer 2004 - 2011
MBD = 5%
SD = 10%
clear
overcast
intermediate
Modified clearness index Kt'


Beam irradiance bias [Wh/m²h]
MeteoSwiss
Sede Boqer 2004 - 2011
MBD = -3%
SD = 27%
clear
overcast
intermediate
Modified clearness index Kt'


Clearness index Kt = GHI / Io sin(h)
MeteoSwiss
Sede Boqer 2004 - 2011
Measurements (BSRN)
MeteoSwiss
Solar elevation


Beam clearness index Kb = DNI / Io
MeteoSwiss
Sede Boqer 2004 - 2011
Measurements (BSRN)
MeteoSwiss
Solar elevation


Monthly horizontal global irradiation [kWh/m2h]
MeteoSwiss
Sede Boqer 2004 - 2011
Measurements
MeteoSwiss
Month of the year


Monthly normal beam irradiation [kWh/m2h]
MeteoSwiss
Sede Boqer 2004 - 2011
Measurements
MeteoSwiss
Month of the year


Monthly horizontal diffuse irradiation [kWh/m2h]
MeteoSwiss
Sede Boqer 2004 - 2011
Measurements
MeteoSwiss
Month of the year


Hourly horizontal global irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average GHI = 537 [Wh/m2h]
number of values = 28092
mbd = -4 %
sd = 10 %
Measurements (BSRN)


Daily horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average GHI = 5.7 [kWh/m2]
number of values = 2631
mbd = -3 %
sd = 6 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average GHI = 166 [kWh/m2]
number of values = 91
mbd = -4 %
sd = 4 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
Measurements (BSRN)


Sede Boqer 2004-2011
EnMetSol
Global irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Global irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Global irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Global irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Global irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Hourly normal beam irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average DNI = 618 [Wh/m2h]
number of values = 28092
mbd = -11 %
sd = 26 %
Measurements (BSRN)


Daily normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average DNI = 6.6 [kWh/m2]
number of values = 2631
mbd = -10 %
sd = 18 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average DNI = 191 [kWh/m2]
number of values = 91
mbd = -11 %
sd = 5 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
Measurements (BSRN)


Sede Boqer 2004-2011
EnMetSol
Beam irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Beam irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Beam irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Beam irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Beam irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Hourly horizontal diffuse irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average DHI = 138 [Wh/m2h]
number of values = 28092
mbd = 10 %
sd = 44 %
Measurements (BSRN)


Daily horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average DHI = 1.47 [kWh/m2]
number of values = 2631
mbd = 9 %
sd = 32 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
average DHI = 43 [kWh/m2]
number of values = 91
mbd = 10 %
sd = 10 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
EnMetSol
Measurements (BSRN)


Sede Boqer 2004-2011
EnMetSol
Diffuse irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Diffuse irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Diffuse irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
EnMetSol
Diffuse irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Global irradiance bias [Wh/m²h]
EnMetSol
Sede Boqer 2004 - 2011
MBD = -4%
SD = 10%
clear
overcast
intermediate
Modified clearness index Kt'


Beam irradiance bias [Wh/m²h]
EnMetSol
Sede Boqer 2004 - 2011
MBD = -11%
SD = 26%
clear
overcast
intermediate
Modified clearness index Kt'


Clearness index Kt = GHI / Io sin(h)
EnMetSol
Sede Boqer 2004 - 2011
Measurements (BSRN)
EnMetSol
Solar elevation


Beam clearness index Kb = DNI / Io
EnMetSol
Sede Boqer 2004 - 2011
Measurements (BSRN)
EnMetSol
Solar elevation


Monthly horizontal global irradiation [kWh/m2h]
EnMetSol
Sede Boqer 2004 - 2011
Measurements
EnMetSol
Month of the year


Monthly normal beam irradiation [kWh/m2h]
EnMetSol
Sede Boqer 2004 - 2011
Measurements
EnMetSol
Month of the year


Monthly horizontal diffuse irradiation [kWh/m2h]
EnMetSol
Sede Boqer 2004 - 2011
Measurements
EnMetSol
Month of the year


Hourly horizontal global irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average GHI = 533 [Wh/m2h]
number of values = 21386
mbd = -2 %
sd = 14 %
Measurements (BSRN)


Daily horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average GHI = 5.7 [kWh/m2]
number of values = 1994
mbd = -1 %
sd = 7 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average GHI = 168 [kWh/m2]
number of values = 68
mbd = -2 %
sd = 4 %
Measurements (BSRN)


Monthly horizontal global irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
Measurements (BSRN)


Sede Boqer 2004-2011
IrSOLaV
Global irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Global irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Global irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Global irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Global irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Global irradiance [W/m2]


Hourly normal beam irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average DNI = 611 [Wh/m2h]
number of values = 21386
mbd = -8 %
sd = 34 %
Measurements (BSRN)


Daily normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average DNI = 6.6 [kWh/m2]
number of values = 1994
mbd = -6 %
sd = 24 %
Measurements (BSRN)

Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average DNI = 192 [kWh/m2]
number of values = 68
mbd = -8 %
sd = 12 %
Measurements (BSRN)


Monthly normal beam irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
Measurements (BSRN)


Sede Boqer 2004-2011
IrSOLaV
Beam irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Beam irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Beam irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Beam irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Beam irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Beam irradiance [W/m2]


Hourly horizontal diffuse irradiance [Wh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average DHI = 138 [Wh/m2h]
number of values = 21386
mbd = 6 %
sd = 60 %
Measurements (BSRN)


Daily horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average DHI = 1.48 [kWh/m2]
number of values = 1994
mbd = 4 %
sd = 42 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
average DHI = 43 [kWh/m2]
number of values = 68
mbd = 6 %
sd = 17 %
Measurements (BSRN)


Monthly horizontal diffuse irradiation [kWh/m2h]
Sede Boqer 2004 - 2011
IrSOLaV
Measurements (BSRN)


Sede Boqer 2004-2011
IrSOLaV
Diffuse irradiance
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Diffuse irradiance
Bias frequency of occurrence
February
April
June
August
Oktober
December
Year
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Diffuse irradiance
April
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Sede Boqer 2004-2011
IrSOLaV
Diffuse irradiance
August
Bias frequency of occurrence
Cumulated frequency of occurrence
Diffuse irradiance [W/m2]


Global irradiance bias [Wh/m²h]
IrSOLaV
Sede Boqer 2004 - 2011
MBD = -2%
SD = 14%
clear
overcast
intermediate
Modified clearness index Kt'


Beam irradiance bias [Wh/m²h]
IrSOLaV
Sede Boqer 2004 - 2011
MBD = -8%
SD = 34%
clear
overcast
intermediate
Modified clearness index Kt'


Clearness index Kt = GHI / Io sin(h)
IrSOLaV
Sede Boqer 2004 - 2011
Measurements (BSRN)
IrSOLaV
Solar elevation


Beam clearness index Kb = DNI / Io
IrSOLaV
Sede Boqer 2004 - 2011
Measurements (BSRN)
IrSOLaV
Solar elevation


Monthly horizontal global irradiation [kWh/m2h]
IrSOLaV
Sede Boqer 2004 - 2011
Measurements
IrSOLaV
Month of the year


Monthly normal beam irradiation [kWh/m2h]
IrSOLaV
Sede Boqer 2004 - 2011
Measurements
IrSOLaV
Month of the year


Monthly horizontal diffuse irradiation [kWh/m2h]
IrSOLaV
Sede Boqer 2004 - 2011
Measurements
IrSOLaV
Month of the year


Relative frequency of occurrence of the hourly global irradiance G_h
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
0
200
400
600
800
1000
Hourly global irradiance [W/m²]


Relative frequency of occurrence of the daily global irradiance G_h
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
0
2
4
6
8
10
Daily global irradiance [kWh/m²]


Relative frequency of occurrence of the clearness index K_t hourly values
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
Clearness index $K_t = G_h / I_{oh}$
0.0
0.2
0.4
0.6
0.8
1.0


Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
Relative frequency of occurrence of the clearness index K_t daily values
Clearness index $K_t = G_h / I_{oh}$
0.0
0.2
0.4
0.6
0.8
1.0


Hourly global irradiance cumulated frequency of occurrence
KSI% (SolarGis) = 49
KSI% (Helioclim3) = 312
KSI% (Solemi) = 219
KSI% (EnMetSol) = 198
KSI% (MeteoSwiss) = 259
KSI% (IrSOLaV) = 216
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
100%
80%
60%
40%
20%
0%
0
200
400
600
800
1000
Hourly global irradiance [W/m²]


Daily global irradiance cumulated frequency of occurrence
KSI% (SolarGis) = 49
KSI% (Helioclim3) = 312
KSI% (Solemi) = 219
KSI% (EnMetSol) = 198
KSI% (MeteoSwiss) = 259
KSI% (IrSOLaV) = 216
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
100%
80%
60%
40%
20%
0%
0
2
4
6
8
10
Daily global irradiance [kWh/m²]


Sede Boqer (Israel) BSRN latitude: 30.87° longitude: 34.77° altitude: 457 m
PVGIS-CM SAF
WRDC (81-93)
RetScreen (61-90)
NASA-SSE (83-05)
Meteonorm 6 (80-00)
ESRA (81-90)
2004 - 2010 average
Monthly global irradiation [kWh/m2]
average products
Month of the year
300
250
200
150
100
50
0
1
2
3
4
5
6
7
8
9
10
11
12


Sede Boqer (Israel) BSRN latitude: 30.87° longitude: 34.77° altitude: 457 m
Satellight (96-00)
Helioclim (2004-2011)
SolarGis (2004-2011)
Solemi (2004-2011)
IrSOLaV (2006-2011)
EnMetSol (2004-2011)
MeteoSwiss (2006-2011)
2004 - 2010 average
Monthly global irradiation [kWh/m2]
"real data"
Month of the year
300
250
200
150
100
50
0
1
2
3
4
5
6
7
8
9
10
11
12


Relative frequency of occurrence of the hourly normal beam irradiance B_n
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
0
200
400
600
800
1000
Hourly ormal beam irradiance [W/m²]


Relative frequency of occurrence of the daily normal beam irradiance B_n
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
0
2
4
6
8
10
Daily normal beam irradiance [kWh/m²]


Relative frequency of occurrence of the beam clearness index K_b hourly values
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
Beam clearness index $K_b = B_n / I_o$
0.0
0.2
0.4
0.6
0.8
1.0


Relative frequency of occurrence of the beam clearness index K_b daily values
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
Beam clearness index $K_b = B_n / I_o$
0.0
0.2
0.4
0.6
0.8
1.0


Hourly normal beam irradiance cumulated frequency of occurrence
KSI% (SolarGis) = 317
KSI% (Helioclim3) = 1'041
KSI% (Solemi) = 414
KSI% (EnMetSol) = 725
KSI% (MeteoSwiss) = 273
KSI% (IrSOLaV) = 566
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
100%
80%
60%
40%
20%
0%
0
200
400
600
800
1000
Hourly normal beam irradiance [W/m²]


Daily normal beam irradiance cumulated frequency of occurrence
KSI% (SolarGis) = 317
KSI% (Helioclim3) = 1'041
KSI% (Solemi) = 414
KSI% (EnMetSol) = 725
KSI% (MeteoSwiss) = 273
KSI% (IrSOLaV) = 566
Measurements Sede Boqer (2004-2011)
SolarGis
Helioclim3
Solemi
MeteoSwiss
EnMetSol
IrSOLaV
100%
80%
60%
40%
20%
0%
0
2
4
6
8
10
Daily normal beam irradiance [kWh/m²]


Sede Boqer (Israel) BSRN latitude: 30.87° longitude: 34.77° altitude: 457 m
PVGIS-CM SAF
WRDC (81-93)
RetScreen (61-90)
NASA-SSE (83-05)
Meteonorm 6 (80-00)
ESRA (81-90)
2004 - 2010 average
Monthly normal beam irradiation [kWh/m2]
average products
350
300
250
200
150
100
50
0
1
2
3
4
5
6
7
8
9
10
11
12
Month of the year


Sede Boqer (Israel) BSRN latitude: 30.87° longitude: 34.77° altitude: 457 m
Satellight (96-00)
Helioclim (2004-2011)
SolarGis (2004-2011)
Solemi (2004-2011)
IrSOLaV (2006-2011)
EnMetSol (2004-2011)
MeteoSwiss (2006-2011)
2004 - 2010 average
Monthly normal beam irradiation
"real data"
350
300
250
200
150
100
50
0
1
2
3
4
5
6
7
8
9
10
11
12
Month of the year


Annual global irradiation normalized to the 2004 - 2010 reference period
Sede Boqer (Israel) BSRN latitude: 30.87° longitude: 34.77° altitude: 457 m
Annual global irradiation (2004 - 2010) : 2114 ± 26 [kWh/m2]
reference period
measurements standard deviation 2004-2010
120%
100%
80%
60%
40%
20%
0%
-20%
PVGIS-CM SAF
WRDC (81-93)
RetScreen (61-90)
NASA-SSE (83-05)
Meteonorm 6 (80-00)
ESRA (81-90)
Satellight (96-00)
Helioclim (2004-2011)
SolarGis (2004-2011)
Solemi (2004-2011)
IrSOLaV (2006-2011)
EnMetSol (2004-2011)
MeteoSwiss (2006-2011)
2004 - 2010 average
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
average
average products (satellite and ground based)
normalized ground measurements
SatelLight 1996-2000
Helioclim 2004-2011
IrSOLaV 2006-2011
CM SAF 2004-2011
product data deviation from ground 2004 - 2010 average
measurements deviation from 2004 - 2010 average
SolarGis 2004-2011
Solemi (aerocom) 2004-2011
EnMetSol 2004-2011


Annual normal beam irradiation normalized to the 2004 - 2010 reference period
Sede Boqer (Israel) BSRN latitude: 30.87° longitude: 34.77° altitude: 457 m
Annual normal beam irradiation (2004 - 2010) : 2382 ± 86 [kWh/m2]
reference period
measurements standard deviation 2004-2010
120%
100%
80%
60%
40%
20%
0%
-20%
PVGIS-CM SAF
WRDC (81-93)
RetScreen (61-90)
NASA-SSE (83-05)
Meteonorm 6 (80-00)
ESRA (81-90)
Satellight (96-00)
Helioclim (2004-2011)
SolarGis (2004-2011)
Solemi (2004-2011)
IrSOLaV (2006-2011)
EnMetSol (2004-2011)
MeteoSwiss (2006-2011)
2004 - 2010 average
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
average
average products (satellite and ground based)
normalized ground measurements
SatelLight 1996-2000
Helioclim 2004-2011
IrSOLaV 2006-2011
CM SAF 2004-2011
product data deviation from ground 2004 - 2010 average
measurements deviation from 2004 - 2010 average
SolarGis 2004-2011
Solemi (aerocom) 2004-2011
EnMetSol 2004-2011